

OVIA




Bathroom & Kitchen Lighting



230V Angled Aluminium Wall Light

code	no. of lamps	lampholder type	max wattage
LE601AL	1	GX53	9W

IP54



Product Approvals

Good protection against ingress of dust and moisture. Complies with BS EN 60598. Suitable for direct mounting on flammable surfaces.



Available Finishes

AL

Aluminium

LED Lamp Options (▼)

LEDB

Blue

LEDC

Cool White

9C

Cool White


9W

Warm White


CFLi Lamp Options (▼)

Please add lamp option on to the code e.g. **LE601ALLEDB**.

BATHROOM & KITCHEN - Surface Mounted Angled Aluminium Wall Light



IP54



230V Angled Aluminium Wall Light

code	no. of lamps	lampholder type	max wattage
LE602AL↓	2	GX53	2 x 9W

Product Approvals

Good protection against ingress of dust and moisture. Complies with BS EN 60598. Suitable for direct mounting on flammable surfaces.



Available Finishes

AL

Aluminium

LED Lamp Options (↓)

LEDB

Blue

LEDC

Cool White

9C

Cool White

9W

Warm White

CFLI Lamp Options (↓)

Please add lamp option on to the code e.g. **LE602AL9C**.




230V Low Energy IP44 Wall Light

code	no. of lamps	lampholder type	max wattage
LE611CH11W	1	E14	15W

Supplied with 11W lamp

IP44



Available Finishes

CH


Chrome

Product Approvals

Complies with BS EN 60598.
Suitable for direct mounting
on flammable surfaces.



BATHROOM & KITCHEN - Surface Mounted Wall Lights



IP44

230V Low Energy IP44 Wall Light

code	no. of lamps	lampholder type	max wattage
LE612CH11W	2	E14	2 x 15W
Supplied with 11W lamp			


Product Approvals
Complies with BS EN 60598.
Suitable for direct mounting
on flammable surfaces.



Available Finishes



Chrome




12V Undercupboard Surface Lights

code	no. of lamps	lampholder type	max wattage
LV210*	1	G4 Capsule	20W

Low Voltage Transformers

The CLICK range of electronic low voltage transformers comprises a selection of pre-wired and wireable transformers in various styles and sizes to suit most applications. Full details can be found on page a187.

Available Finishes (+)




Product Approvals

Double insulated, no earth connection required. Complies with BS EN 60598. Suitable for direct mounting on flammable surfaces.



Please add required finish on to the code e.g. **LV210WH**.



Product Approvals

Double insulated, no earth connection required. Complies with BS EN 60598. Suitable for direct mounting on flammable surfaces.



240V Low Energy Undercupboard Lights

code	no. of lamps	lampholder type	max wattage
LE105*	1	GX53	13W

Available Finishes (*)



White



Chrome



Satin Chrome

Please add required finish on to the code e.g. **LE105CH**.



Product Approvals

Complies with BS EN 60598. Suitable for direct mounting on flammable surfaces.




BATHROOM & KITCHEN - Surface Mounted

LED Strip-Lighting



230V LED Striplight



code	no. of lamps	lampholder type	max wattage
LED301#WH	N/A	LED	2.7W

Supply or link lead required. See Accessories listed below

LED Lamp Options (🔌)

Available Finishes



Blue




Cool White



White

230V LED Striplight



code	no. of lamps	lampholder type	max wattage
LED302#WH	N/A	LED	3.6W

Supply or link lead required. See Accessories listed below

LED Lamp Options (🔌)

Available Finishes



Blue




Cool White



White

230V LED Striplight



code	no. of lamps	lampholder type	max wattage
LED303#WH	N/A	LED	6.8W

Supply or link lead required. See Accessories listed below

LED Lamp Options (🔌)

Available Finishes



Blue



Cool White



White

Accessories

code	description
LED305WH	230V 1M LED Striplight Supply Lead
LED307WH	230V 0.25M LED Striplight Link Lead
LED308WH	230V 0.5M LED Striplight Link Lead

Please add lamp option in to the code e.g. **LED303BLWH**.




12V Undercupboard Flush or Surface Lights

code	no. of lamps	lampholder type	max wattage
LV130*	1	G4 Capsule	20W

Low Voltage Transformers

The CLICK range of electronic low voltage transformers comprises a selection of pre-wired and wireable transformers in various styles and sizes to suit most applications. Full details can be found on page a187.

Available Finishes (*)




Product Approvals

SELV - Safety Extra Low Voltage
Complies with BS EN 60598.
Suitable for direct mounting on flammable surfaces.



Please add required finish on to the code e.g. **LV130SC**.

BATHROOM & KITCHEN - Flush or Surface Mounted LED Undercupboard Light



Product Approvals.
Complies with BS EN 60598.
Suitable for direct mounting
on flammable surfaces.
Design Reg. 2106457



12V LED Undercupboard Flush or Surface Lights

code	no. of LED's	lampholder type	max wattage
LED130*	9	LED	1W

Low Voltage Transformers

The CLICK range of electronic low voltage transformers comprises a selection of pre-wired and wireable transformers in various styles and sizes to suit most applications. Full details can be found on page a187.

LED Lamp Options (*)



Blue



Cool White



White



Chrome



Satin Chrome



Brass

Available Finishes (*)

Please add lamp option then required finish on to the code e.g. **LED130BLS.C.**

IP65

GF590 Bezel



IP65

GF590 Bezel



IP65

GF590 Bezel



IP65

GF495 Bezels



Product Approvals

SELV - Safety Extra Low Voltage
 Complies with BS EN 60598. Suitable for
 direct mounting on flammable surfaces.




BATHROOM & KITCHEN - Flush Mounted

Cast IP65 Downlighter




230V IP65 Frame C/W FLOW Connector



code	no. of lamps	lampholder type	max wattage
GZ096	1	GZ10	50W

Suitable for use with GF495 and GF590 Cast IP65 Profile Bezels.
See below for Bezel options.


230V LE IP65 Frame C/W FLOW Connector



code	no. of lamps	lampholder type	max wattage
CF096	1	GU10	13W

Suitable for use with GF495 and GF590 Cast IP65 Profile Bezels.
See below for Bezel options.

12V IP65 Downlight Frame



code	no. of lamps	lampholder type	max wattage
LV096	1	GU5.3	50W

Suitable for use with GF495 and GF590 Cast IP65 Profile Bezels.
See below for Bezel options.

Cast IP65 Profiled Bezel

code	description	diameter (mm)
GF495*	Cast IP65 Bezel	89
GF590*	Cast IP65 Profiled Bezel	89

Available Finishes (+)



White



Chrome



Satin Chrome



Brass

Please add required finish on to the code e.g. **GF495SC**.




115V/230V Dual Voltage Shaver Light

code	no. of lamps	lampholder type	max wattage
MV600	1	284mm Strip Light	60W

Available Finishes (+)

WH

White



Product Approvals

SELV - Safety Extra Low Voltage
Complies with BS EN 60598.
Suitable for direct mounting on flammable surfaces.

