

OVIA



Outdoor LED



12V Cast IP44 LED Starlights

code	no. of LED's	lamp type	max wattage
LED200*	1	LED	0.3W

IP68 Rated Outdoor Electronic Transformer

GA240 12V 2-15Va LED transformer 205 x 88 x 42 Pre-wired
Includes pre-wired flex for termination in a water-proof enclosure, Lead: 250mm

Electronic LED Indoor Transformer

TR300 12V 0.5-15W LED Transformer 120 x 37 x 27 Wireable

NOTE: Can be used in conjunction with the SP202 mounting access plate, see page a79.

LED Lamp Options (♦)



Blue



Cool White



White



Chrome




Satin Chrome



Brass

Available Finishes (*)



Product Approvals


Good protection against ingress of dust and moisture. Complies with BS EN 60598. Suitable for direct mounting on flammable surfaces.



Please add lamp option then required finish on to the code e.g. **LED200BLCH**.

OUTDOOR LED FITTING

LED IP44 Star Lights



Product Approvals

Good protection against ingress of dust and moisture. Complies with BS EN 60598. Suitable for direct mounting on flammable surfaces.



12V IP44 LED Starlights

code	no. of LED's	lamp type	max wattage
LED202*	1	LED	0.3

IP68 Rated Outdoor Electronic Transformer

GA240 12V 2-15Va LED transformer 205 x 88 x 42 Pre-wired Includes pre-wired flex for termination in a water-proof enclosure, Lead: 250mm

Electronic LED Indoor Transformer

TR300 12V 0.5-15W LED Transformer 120 x 37 x 27 Wireabl

NOTE: Can be used in conjunction with the SP202 mounting access plate, see page a79.

LED Lamp Options (*)



Blue



Cool White



White



Chrome



Satin Chrome




Black

Available Finishes (*)

Please add lamp option then required finish on to the code e.g. **LED202BLSC**.



LED022



LED020

12V IP65 LED Wall / Floor Lights

code	no. of LED's	lamp type	max wattage
LED020	5	LED	0.8W
LED022	5	LED	0.8W

IP68 Rated Outdoor Electronic Transformer


GA240 12V 2-15Va LED transformer 205 x 88 x 42 Pre-wired Includes pre-wired flex for termination in a water-proof enclosure, Lead: 1.8m

Electronic LED Indoor Transformer

TR300 12V 0.5-15W LED Transformer 120 x 37 x 27 Wireable Includes pre-wired flex for termination in a water-proof enclosure, Lead: 1.8m

NOTE: Can be used in conjunction with the SP202 mounting access plate, see page a79.

LED Lamp Options (♦)





Product Approvals

Good protection against ingress of dust and moisture. Complies with BS EN 60598. Suitable for direct mounting on flammable surfaces.



Please add lamp option on to the code e.g. **LED020BL**.



Product Approvals
 Good protection against ingress of dust and moisture.
 Complies with BS EN 60598.
 Suitable for direct mounting on flammable surfaces.



12V IP65 Stainless Steel Walkway LED

code	no. of LED's	lamp type	max wattage
LED Walkway Kit (complete with plug-in transformer)			
LED710	5	LED	6 x 0.8W
Single Walkway LED			
LED010	5	LED	0.8W
Spare Transformer: SP701 10VA			

Up to 6 additional LED walkover lights can be fitted to the kit cable and powered by the transformer supplied. Each individual walkover light is fitted with a 0.8m lead allowing great flexibility in planning layouts.

LED Lamp Options (†)

Blue

Cool White

Please add lamp option on to the code e.g. **LED710WH**.




230V IP44 LED Garden Spike Lights

code	no. of LED's	lamp type	max wattage
LED500*	3	LED	3W

Includes pre-wired flex for termination in a water-proof enclosure, Lead: 1.5m

IP44



Product Approvals

Good protection against ingress of dust and moisture. Complies with BS EN 60598. Suitable for direct mounting on flammable surfaces.



LED Lamp Options (*)



Blue



Cool White

Available Finishes (*)




Black



Grey

Please add lamp option then required finish on to the code e.g. **LED500BLCH**.



Product Approvals

Good protection against ingress of dust and moisture. Complies with BS EN 60598. Suitable for direct mounting on flammable surfaces.



230V IP66 LED Walkover Light

code	no. of LED's	lamp type	max wattage
LED233SS	33	LED	2W

Available Finishes



Stainless Steel

LED Lamp Options (†)



Blue




Cool White

Please add required lamp option on to the code e.g. **LED233SSWH**.



230V IP54 LED Square Light

code	no. of LED's	lamp type	max wattage
LED450BA	25	LED	1.6W



Product Approvals

Good protection against ingress of dust and moisture. Complies with BS EN 60598. Suitable for direct mounting on flammable surfaces.



Available Finishes

BA

Brushed Alum

LED Lamp Options


BL

Blue

WH

Cool White

Please add required lamp option on to the code e.g. **LED450BABL**.



Product Approvals

Good protection against ingress of dust and moisture. Complies with BS EN 60598. Suitable for direct mounting on flammable surfaces.



230V IP54 LED Rectangular Light

code	no. of LED's	lamp type	max wattage
LED455BA	36	LED	2.1W

Available Finishes



LED Lamp Options (V)



Please add required lamp option on to the code e.g. **LED455BAWH**.



Product Approvals

Good protection against ingress of dust and moisture.
Complies with BS EN 60598. Suitable for direct mounting on flammable surfaces.




OUTDOOR LED FITTING


LED Recessed Lighting



230V IP54 LED Rectangular Light - Full Glass



cutout: 100 x 35mm



code	no. of LED's	lampholder type	max wattage
LED470SS	12	LED	0.8W

Available Finishes



Stainless Steel

LED Lamp Options (†)




Blue




Cool White

230V IP54 LED Rectangular Light - Slatted Glass



cutout: 100 x 35mm



code	no. of LED's	lampholder type	max wattage
LED475SS	12	LED	0.8W

Available Finishes



Stainless Steel

LED Lamp Options (†)




Blue




Cool White

230V IP54 LED Rectangular Light - Slatted Glass



cutout: 160 x 56mm



code	no. of LED's	lampholder type	max wattage
LED480SS	16	LED	0.8W

Available Finishes



Stainless Steel

LED Lamp Options (†)



Blue



Cool White


Please add required lamp option on to the code e.g. **LED480SSWH**.



230V IP54 LED Round Surface Light

code	no. of LED's	lamp type	max wattage
LED410SV♦	18	LED	1.5W

IP54



Product Approvals

Good protection against ingress of dust and moisture. Complies with BS EN 60598. Suitable for direct mounting on flammable surfaces.



Available Finishes

SV
Silver

LED Lamp Options ♦


BL
Blue

WH
Cool White

Please add required lamp option on to the code e.g. **LED410SVBL**.

OUTDOOR LED FITTING

LED Surface Lights



Product Approvals

Good protection against ingress of dust and moisture. Complies with BS EN 60598. Suitable for direct mounting on flammable surfaces.



230V IP54 LED Square Surface Light

code	no. of LED's	lamp type	max wattage
LED420SV	20	LED	1.5W

Available Finishes



Silver

LED Lamp Options (†)



Blue



Cool White


Please add required lamp option on to the code e.g. **LED420SVWH**.



230V IP54 LED Square Surface Light

code	no. of LED's	lamp type	max wattage
LED400SV♦	16	LED	1.0W

IP54



Product Approvals

Good protection against ingress of dust and moisture. Complies with BS EN 60598. Suitable for direct mounting on flammable surfaces.



Available Finishes



SV
Silver

LED Lamp Options ♦

BL
Blue

WH
Cool White

Please add required lamp option on to the code e.g. **LED400SVBL**.



IP54

230V IP54 LED Up or Down Light

code	no. of LED's	lamp type	max wattage
LED502WHAG	3	LED	3W

Product Approvals

Good protection against ingress of dust and moisture. Complies with BS EN 60598. Suitable for direct mounting on flammable surfaces.



LED Lamp Options

WH
White LED

Available Finishes

AG
Anthracite Grey

